



SPZ 폴리(벨트 SPZ, M, Z, 3V형 공통 사용)



코드번호 Code	Pitch Dia(P)	No. of Grooves	Bush No.	Max Bore		Pulley Type	F	J	K	L	M	N	Outside Dia(O)
				Metric	Inch								
JSPZ05601	56	1	1008	25	1	9	37	35	15	22	-	-	60
JSPZ05602	56	2	1108	28	1 1/8	9	49	35	27	22	-	-	60
JSPZ06001	60	1	1008	25	1	9	22	0	0	22	-	-	64
JSPZ06002	60	2	1108	28	1 1/8	9	49	36	27	22	-	-	64
JSPZ06301	63	1	1108	28	1 1/8	1	16	-	-	22	6	-	67
JSPZ06302	63	2	1108	28	1 1/8	6NR	28	38	6	22	-	-	67
JSPZ06303	63	3	1108	28	1 1/8	6NR	40	38	18	22	-	-	67
JSPZ06701	67	1	1108	28	1 1/8	1	16	-	-	22	6	60	71.5
JSPZ06702	67	2	1108	28	1 1/8	6NR	28	38	6	22	-	-	71.5
JSPZ06703	67	3	1108	28	1 1/8	6NR	40	38	18	22	-	-	71.5
JSPZ07101	71	1	1108	28	1 1/8	1	16	-	-	22	6	60	75.5
JSPZ07102	71	2	1108	28	1 1/8	6NR	28	42	6	22	-	-	75.5
JSPZ07103	71	3	1108	28	1 1/8	6NR	40	42	18	22	-	-	75.5
JSPZ07501	75	1	1108	28	1 1/8	1	16	-	-	22	6	60	79.5
JSPZ07502	75	2	1210	32	1 1/4	6NR	28	46	3	25	-	-	79.5
JSPZ07503	75	3	1210	32	1 1/4	6NR	40	46	15	25	-	-	79.5
JSPZ08001	80	1	1210	32	1 1/4	1	16	-	-	25	9	75	84.5
JSPZ08002	80	2	1210	32	1 1/4	1	28	-	-	28	0	0	84.5
JSPZ08003	80	3	1210	32	1 1/4	6NR	40	51	15	25	-	-	84.5
JSPZ08004	80	4	1210	32	1 1/4	6NR	52	51	27	25	-	-	84.5
JSPZ08501	85	1	1210	32	1 1/4	1	16	-	-	25	9	83	89.5
JSPZ08502	85	2	1610	42	1 5/8	1	28	-	-	28	0	0	89.5
JSPZ08503	85	3	1610	42	1 5/8	6NR	40	56	15	25	-	-	89.5
JSPZ08504	85	4	1610	42	1 5/8	6NR	52	56	27	25	-	-	89.5
JSPZ08505	85	5	1610	42	1 5/8	6NR	64	56	39	25	-	-	89.5
JSPZ09001	90	1	1210	32	1 1/4	1	16	-	-	25	9	83	94.5
JSPZ09002	90	2	1610	42	1 5/8	1	28	-	-	28	0	0	94.5
JSPZ09003	90	3	1610	42	1 5/8	6NR	40	61	15	25	-	-	94.5
JSPZ09004	90	4	1610	42	1 5/8	6NR	52	61	27	25	-	-	94.5
JSPZ09005	90	5	1610	42	1 5/8	6NR	64	61	39	25	-	-	94.5
JSPZ09006	90	6	1610	42	1 5/8	6NR	76	61	51	25	-	-	94.5
JSPZ09501	95	1	1210	32	1 1/4	1	16	-	-	25	9	83	99.5
JSPZ09502	95	2	1610	42	1 5/8	1	28	-	-	28	0	0	99.5
JSPZ09503	95	3	1610	42	1 5/8	6NR	40	66	15	25	-	-	99.5
JSPZ09504	95	4	1610	42	1 5/8	6NR	52	66	27	25	-	-	99.5
JSPZ09505	95	5	1610	42	1 5/8	6NR	64	66	39	25	-	-	99.5
JSPZ09506	95	6	1610	42	1 5/8	6NR	76	66	51	25	-	-	99.5
JSPZ10001	100	1	1210	32	1 1/4	1	16	-	-	25	9	83	104.5
JSPZ10002	100	2	1610	42	1 5/8	1	28	-	-	28	0	0	104.5
JSPZ10003	100	3	1610	42	1 5/8	6NR	40	65	15	25	-	-	104.5
JSPZ10004	100	4	1610	42	1 5/8	6NR	52	71	27	25	-	-	104.5
JSPZ10005	100	5	2012	50	2	6NR	64	71	32	32	-	-	104.5
JSPZ10006	100	6	2012	50	2	6NR	76	71	44	32	-	-	104.5
JSPZ10601	106	1	1610	42	1 5/8	1	16	-	-	25	9	92	111.5
JSPZ10602	106	2	1610	42	1 5/8	6NR	28	77	3	25	-	-	111.5
JSPZ10603	106	3	1610	42	1 5/8	6NR	40	77	15	25	-	-	111.5
JSPZ10604	106	4	1610	42	1 5/8	6NR	52	77	27	25	-	-	111.5
JSPZ10605	106	5	2012	50	2	6NR	64	77	32	32	-	-	111.5
JSPZ10606	106	6	2012	50	2	6NR	76	77	44	32	-	-	111.5
JSPZ11201	112	1	1610	42	1 5/8	1	16	-	-	25	9	92	116.5
JSPZ11202	112	2	1610	42	1 5/8	1	28	-	-	28	0	0	116.5
JSPZ11203	112	3	2012	50	2	6NR	40	83	8	32	-	-	116.5
JSPZ11204	112	4	2012	50	2	6NR	52	83	20	32	-	-	116.5
JSPZ11205	112	5	2012	50	2	6NR	64	83	32	32	-	-	116.5
JSPZ11206	112	6	2012	50	2	6NR	76	83	44	32	-	-	116.5
JSPZ11801	118	1	1610	42	1 5/8	1	16	-	-	25	0	92	123.5
JSPZ11802	118	2	1610	42	1 5/8	6NR	28	89	3	25	-	-	123.5
JSPZ11803	118	3	2012	50	2	6NR	40	89	8	32	-	-	123.5
JSPZ11804	118	4	2012	50	2	6NR	52	89	-	32	20	-	123.5
JSPZ11805	118	5	2012	50	2	6NR	64	89	32	32	-	-	123.5
JSPZ11806	118	6	2517	60	2 1/2	6NR	76	89	31	45	-	-	123.5

주의) 품질 향상을 위하여 부쉬 사이즈나 일부 사양을 사전통보 없이 변경할 수 있음.


SPZ 폴리(벨트 SPZ, M, Z, 3V형 공통 사용)



코드번호 Code	Pitch Dia(P)	No. of Grooves	Bush No.	Max Bore		Pulley Type	F	J	K	L	M	N	Outside Dia(O)
				Metric	Inch								
JSPZ12501	125	1	1610	42	1 5/8	1	16	—	—	25	9	88	129.5
JSPZ12502	125	2	1610	42	1 5/8	6	28	85	3	25	—	—	129.5
JSPZ12503	125	3	2012	50	2	2	40	99	—	32	8	—	129.5
JSPZ12504	125	4	2012	50	2	2	52	99	—	32	20	—	129.5
JSPZ12505	125	5	2012	50	2	6	64	96	32	32	—	—	129.5
JSPZ12506	125	6	2517	60	2 1/2	6	76	96	31	45	—	—	129.5
JSPZ13201	132	1	1610	42	1 5/8	1	16	—	—	26.5	10.5	92	137.5
JSPZ13202	132	2	1610	42	1 5/8	6	28	103	3	25	—	—	137.5
JSPZ13203	132	3	2012	50	2	6	40	103	8	32	—	—	137.5
JSPZ13204	132	4	2012	50	2	6	52	103	20	32	—	—	137.5
JSPZ13205	132	5	2517	60	2 1/2	6	64	103	19	45	—	—	137.5
JSPZ13206	132	6	2517	60	2 1/2	6	76	103	31	45	—	—	137.5
JSPZ14001	140	1	1610	42	1 5/8	1	16	—	—	25	9	88	144.5
JSPZ14002	140	2	1610	42	1 5/8	6	28	85	3	25	—	—	144.5
JSPZ14003	140	3	2012	50	2	2	40	114	—	32	8	—	144.5
JSPZ14004	140	4	2012	50	2	2	52	114	—	32	20	—	144.5
JSPZ14005	140	5	2517	60	2 1/2	2	64	111	—	45	19	—	144.5
JSPZ14006	140	6	2517	60	2 1/2	2	76	111	—	45	31	—	144.5
JSPZ14008	* 140	8	2517	60	2 1/2	3	100	111	27.5	45	27.5	—	144.5
JSPZ15001	* 150	1	1610	42	1 5/8	1	16	—	—	25	9	92	154.5
JSPZ15002	* 150	2	2012	50	2	1	28	—	—	33.5	5.5	112	154.5
JSPZ15003	* 150	3	2012	50	2	2	40	121	—	32	8	—	154.5
JSPZ15004	* 150	4	2517	60	2 1/2	2	52	121	—	45	7	—	154.5
JSPZ15005	* 150	5	2517	60	2 1/2	2	64	121	—	45	19	—	154.5
JSPZ15006	* 150	6	2517	60	2 1/2	2	76	121	—	45	31	—	154.5
JSPZ15008	* 150	8	2517	60	2 1/2	3	100	121	27.5	45	27.5	—	154.5
JSPZ16001	160	1	1610	42	1 5/8	1	16	—	—	25	9	88	164.5
JSPZ16002	160	2	2012	50	2	1	28	—	—	32	4	108	164.5
JSPZ16003	160	3	2012	50	2	2	40	134	—	32	8	—	164.5
JSPZ16004	160	4	2517	60	2 1/2	2	52	134	—	45	7	—	164.5
JSPZ16005	160	5	2517	60	2 1/2	2	64	131	—	45	19	—	164.5
JSPZ16006	160	6	2517	60	2 1/2	2	76	131	—	45	31	—	164.5
JSPZ16008	* 160	8	2517	60	2 1/2	3	100	131	27.5	45	27.5	—	164.5
JSPZ17001	* 170	1	1610	42	1 5/8	1	16	—	—	25	9	92	174.5
JSPZ17002	* 170	2	2012	50	2	1	28	—	—	32	4	112	174.5
JSPZ17003	* 170	3	2012	50	2	2	40	141	—	32	8	112	174.5
JSPZ17004	* 170	4	2517	60	2 1/2	2	52	141	—	45	7	—	174.5
JSPZ17005	* 170	5	2517	60	2 1/2	2	64	141	—	45	19	—	174.5
JSPZ17006	* 170	6	2517	60	2 1/2	2	76	141	—	45	31	—	174.5
JSPZ17008	* 170	8	2517	60	2 1/2	3	100	141	27.5	45	27.5	—	174.5
JSPZ18001	180	1	1610	42	1 5/8	1	16	—	—	25	9	88	184.5
JSPZ18002	180	2	2012	50	2	8	28	—	—	32	4	108	184.5
JSPZ18003	180	3	2012	50	2	2	40	154	—	32	8	—	184.5
JSPZ18004	180	4	2517	60	2 1/2	2	52	154	—	45	7	—	184.5
JSPZ18005	180	5	2517	60	2 1/2	2	64	151	—	45	19	—	184.5
JSPZ18006	180	6	2517	60	2 1/2	2	76	151	—	45	31	—	184.5
JSPZ18008	* 180	8	3020	75	3	3	100	151	24.5	51	24.5	—	184.5
JSPZ19001	* 190	1	1610	42	1 5/8	1	16	—	—	25	9	92	194.5
JSPZ19002	* 190	2	2012	50	2	1	28	—	—	32	4	112	194.5
JSPZ19003	* 190	3	2012	50	2	2	40	161	—	32	8	112	194.5
JSPZ19004	* 190	4	2517	60	2 1/2	2	52	161	—	45	7	124	194.5
JSPZ19005	* 190	5	2517	60	2 1/2	2	64	161	—	45	19	124	194.5
JSPZ19006	* 190	6	2517	60	2 1/2	2	76	161	—	45	31	124	194.5
JSPZ19008	* 190	8	3020	75	3	3	100	161	24.5	51	24.5	—	194.5
JSPZ20001	200	1	2012	50	2	1	16	—	—	32	16	108	204.5
JSPZ20002	200	2	2012	50	2	8	28	—	—	32	4	108	204.5
JSPZ20003	200	3	2012	50	2	7	40	171	0	32	8	108	204.5
JSPZ20004	200	4	2517	60	2 1/2	7	52	171	3.5	45	3.5	123	204.5
JSPZ20005	200	5	2517	60	2 1/2	3	64	171	9.5	45	9.5	—	204.5
JSPZ20006	200	6	2517	60	2 1/2	3	76	171	15.5	45	15.5	—	204.5
JSPZ20008	* 200	8	3020	75	3	3	100	171	24.5	51	24.5	—	204.5

주의) *표시 폴리사이즈는 신규적이므로 통상 재고를 갖지 않으며 필요시 문의 요망.


SPZ 폴리(벨트 SPZ, M, Z, 3V형 공통 사용)



코드번호 Code	Pitch Dia(P)	No. of Grooves	Bush No.	Max Bore		Pulley Type	F	J	K	L	M	N	Outside Dia(O)
				Metric	Inch								
JSPZ22401	* 224	1	2012	50	2	3	16	195	8	32	8	112	228.5
JSPZ22402	* 224	2	2012	50	2	3	28	195	2	32	2	112	228.5
JSPZ22403	* 224	3	2012	50	2	2	40	195	4	32	4	112	228.5
JSPZ22404	* 224	4	2517	60	2 1/2	2	52	195	3.5	45	3.5	124	228.5
JSPZ22405	* 224	5	2517	60	2 1/2	2	64	195	9.5	45	9.5	124	228.5
JSPZ22406	* 224	6	2517	60	2 1/2	2	76	195	15.5	45	15.5	124	228.5
JSPZ22408	* 224	8	3020	75	3	3	100	195	24.5	51	24.5	-	228.5
JSPZ25001	250	1	2012	50	2	8	16	221	0	32	16	112	254.5
JSPZ25002	250	2	2012	50	2	8	28	221	0	32	4	112	254.5
JSPZ25003	250	3	2012	50	2	7	40	221	4	32	4	124	254.5
JSPZ25004	250	4	2517	60	2 1/2	7	52	221	3.5	45	3.5	124	254.5
JSPZ25005	250	5	2517	60	2 1/2	7	64	221	9.5	45	9.5	124	254.5
JSPZ25006	250	6	2517	60	2 1/2	7	76	221	15.5	45	15.5	124	254.5
JSPZ25008	* 250	8	3020	75	3	5	100	221	24.5	51	24.5	145	254.5
JSPZ28001	* 280	1	2012	50	2	4	16	251	8	32	8	112	284.5
JSPZ28002	* 280	2	2012	50	2	4	28	251	2	32	2	112	284.5
JSPZ28003	* 280	3	2517	60	2 1/2	4	40	251	2.5	45	2.5	112	284.5
JSPZ28004	* 280	4	2517	60	2 1/2	5	52	251	3.5	45	3.5	124	284.5
JSPZ28005	* 280	5	2517	60	2 1/2	5	64	251	9.5	45	9.5	124	284.5
JSPZ28006	* 280	6	2517	60	2 1/2	5	76	251	15.5	45	15.5	124	284.5
JSPZ28008	* 280	8	3020	75	3	5	100	251	24.5	51	24.5	145	284.5
JSPZ31501	315	1	2012	50	2	8	16	286	8	32	8	112	319.5
JSPZ31502	315	2	2012	50	2	8	28	286	0	32	4	112	319.5
JSPZ31503	315	3	2517	60	2 1/2	8	40	286	0	45	5	124	319.5
JSPZ31504	315	4	2517	60	2 1/2	7	52	286	3.5	45	3.5	124	319.5
JSPZ31505	315	5	2517	60	2 1/2	7	64	286	9.5	45	9.5	124	319.5
JSPZ31506	315	6	2517	60	2 1/2	7	76	286	15.5	45	15.5	124	319.5
JSPZ31508	* 315	8	3020	75	3	5	100	286	24.5	51	24.5	145	319.5
JSPZ35501	* 355	1	2012	50	2	4	16	326	8	32	8	112	359.5
JSPZ35502	* 355	2	2012	50	2	4	28	326	2	32	2	112	359.5
JSPZ35503	* 355	3	2517	60	2 1/2	4	40	326	2.5	45	2.5	124	359.5
JSPZ35504	* 355	4	2517	60	2 1/2	5	52	326	3.5	45	3.5	124	359.5
JSPZ35505	* 355	5	2517	60	2 1/2	5	64	326	9.5	45	9.5	124	359.5
JSPZ35506	* 355	6	2517	60	2 1/2	5	76	326	15.5	45	15.5	124	359.5
JSPZ35508	* 355	8	3030	75	3	5	100	326	12.0	76	12.0	145	359.5
JSPZ40001	400	1	2012	50	2	4	16	371	8	32	8	112	404.5
JSPZ40002	400	2	2517	60	2 1/2	4	28	371	8.5	45	8.5	124	404.5
JSPZ40003	400	3	2517	60	2 1/2	4	40	371	2.5	45	2.5	124	404.5
JSPZ40004	400	4	2517	60	2 1/2	5	52	371	3.5	45	3.5	124	404.5
JSPZ40005	400	5	3020	75	3	5	64	371	6.5	51	6.5	159	404.5
JSPZ40006	400	6	3020	75	3	5	76	371	12.5	51	12.5	146	404.5
JSPZ40008	* 400	8	3030	75	3	5	100	371	12.0	76	12.0	145	404.5
JSPZ45001	* 450	1	2517	60	2 1/2	4	16	424	14.5	45	14.5	120	454.5
JSPZ45002	* 450	2	2517	60	2 1/2	4	28	424	8.5	45	8.5	120	454.5
JSPZ45003	* 450	3	2517	60	2 1/2	4	40	424	2.5	45	2.5	120	454.5
JSPZ45004	* 450	4	3020	75	3	5	52	424	0.5	51	0.5	145	454.5
JSPZ45005	* 450	5	3020	75	3	5	64	424	6.5	51	6.5	145	454.5
JSPZ45006	* 450	6	3030	75	3	5	76	424	-	76	-	145	454.5
JSPZ45008	* 450	8	3535	90	3 2/3	5	100	424	5.5	89	5.5	178	454.5
JSPZ50001	* 500	1	2517	60	2 1/2	4	16	471	14.5	45	14.5	124	504.5
JSPZ50002	500	2	2517	60	2 1/2	4	28	471	8.5	45	8.5	124	504.5
JSPZ50003	500	3	2517	60	2 1/2	4	40	471	2.5	45	2.5	124	504.5
JSPZ50004	500	4	3020	75	3	5	52	471	0.5	51	0.5	159	504.5
JSPZ50005	500	5	3020	75	3	5	64	471	6.5	51	6.5	146	504.5
JSPZ50006	500	6	3020	75	3	5	76	471	12.5	51	12.5	146	504.5
JSPZ50008	* 500	8	3535	90	3 2/3	5	100	471	5.5	89	5.5	178	504.5
JSPZ63002	* 630	2	2517	60	2 1/2	4	28	601	8.5	45	8.5	124	634.5
JSPZ63003	630	3	2517	60	2 1/2	4	40	601	2.5	45	2.5	124	634.5
JSPZ63004	630	4	3020	75	3	5	52	601	0.5	51	0.5	146	634.5
JSPZ63005	630	5	3020	75	3	5	64	601	6.5	51	6.5	146	634.5
JSPZ63006	630	6	3525	100	4	5	76	601	5.5	65	5.5	178	634.5
JSPZ63008	* 630	8	3535	90	3 2/3	5	100	601	5.5	89	5.5	178	634.5


주의) *표시 폴리아이즈는 신규규격이므로 통상 재고를 갖지 않으며 필요시 문의 요망.

SPA 폴리(벨트 SPA, A형 공통 사용)



코드번호 Code	Pitch Dia(P)	No. of Grooves	Bush No.	Max Bore		Pulley Type	F	J	K	L	M	N	Outside Dia(O)
				Metric	Inch								
JSPA06301	* 63	1	1108	28	1 1/6	6	20	31	18	40	-	68.5	69
JSPA06302	* 63	2	1108	28	1 1/6	6	35	31	33	55	-	68.5	69
JSPA06701	* 67	1	1108	28	1 1/6	1	20	-	-	22	2	60	73
JSPA06702	* 67	2	1108	28	1 1/6	6	35	35	13	22	-	-	73
JSPA07101	* 71	1	1108	28	1 1/6	1	20	-	-	22	2	60	78
JSPA07102	* 71	2	1108	28	1 1/6	6	35	39	13	22	-	-	78
JSPA07103	* 71	3	1108	28	1 1/6	6	50	39	28	22	-	-	78
JSPA07501	* 75	1	1108	28	1 1/6	1	20	-	-	22	2	60	81
JSPA07502	* 75	2	1108	28	1 1/6	1	20	-	-	22	2	60	81
JSPA07503	* 75	3	1108	28	1 1/6	6	50	43	28	22	-	-	81
JSPA08001	80	1	1210	32	1 1/4	1	20	-	-	25	5	84	86
JSPA08002	80	2	1210	32	1 1/4	6NR	35	50	10	25	-	-	86
JSPA08003	80	3	1210	32	1 1/4	6NR	50	50	25	25	-	-	86
JSPA08501	85	1	1210	32	1 1/4	1	20	-	-	25	5	88	91
JSPA08502	85	2	1210	32	1 1/4	6NR	35	57	10	25	-	-	91
JSPA08503	85	3	1210	32	1 1/4	6NR	50	55	25	25	-	-	91
JSPA09001	90	1	1210	32	1 1/4	1	20	-	-	25	5	93	96
JSPA09002	90	2	1610	42	1 5/8	6NR	35	64	10	25	-	-	96
JSPA09003	90	3	1610	42	1 5/8	6NR	50	62	25	25	-	-	96
JSPA09004	90	4	1610	42	1 5/8	6NR	65	62	40	25	-	-	96
JSPA09501	95	1	1210	32	1 1/4	1	20	-	-	25	5	98	101
JSPA09502	95	2	1610	42	1 5/8	6NR	35	65	10	25	-	-	101
JSPA09503	95	3	1610	42	1 5/8	6NR	50	65	25	25	-	-	101
JSPA09504	95	4	1610	42	1 5/8	6NR	65	65	40	25	-	-	101
JSPA10001	100	1	1610	42	1 5/8	1	20	-	-	25	5	92	106
JSPA10002	100	2	1610	42	1 5/8	6NR	35	65	10	25	-	-	106
JSPA10003	100	3	1610	42	1 5/8	2	50	69	-	25	25	-	106
JSPA10004	100	4	1610	42	1 5/8	2	65	69	-	25	40	-	106
JSPA10005	100	5	1610	42	1 5/8	3	80	69	15	25	40	-	106
JSPA10006	100	6	1610	42	1 5/8	3	95	69	30	25	40	-	106
JSPA10601	106	1	1610	42	1 5/8	1	20	-	-	25	5	92	112
JSPA10602	106	2	1610	42	1 5/8	6NR	35	71	10	25	-	-	112
JSPA10603	106	3	1610	42	1 5/8	2	50	71	-	25	25	-	112
JSPA10604	106	4	2012	50	2	6NR	65	75	33	32	-	-	112
JSPA10605	106	5	2012	50	2	6NR	80	71	48	32	-	-	112
JSPA10606	106	6	2012	50	2	6NR	95	71	63	32	-	-	112
JSPA11201	112	1	1610	42	1 5/8	1	20	-	-	25	5	92	118
JSPA11202	112	2	1610	42	1 5/8	6NR	35	77	10	25	-	-	118
JSPA11203	112	3	2012	50	2	6NR	50	77	18	32	-	-	118
JSPA11204	112	4	2012	50	2	6NR	65	77	33	32	-	-	118
JSPA11205	112	5	2012	50	2	6NR	80	77	48	32	-	-	118
JSPA11206	112	6	2012	50	2	6NR	95	77	63	32	-	-	118
JSPA11801	118	1	1610	42	1 5/8	1	20	-	-	25	5	92	124
JSPA11802	118	2	1610	42	1 5/8	6NR	35	84	10	25	-	-	124
JSPA11803	118	3	2012	50	2	2	50	84	-	32	18	-	124
JSPA11804	118	4	2012	50	2	2	65	84	-	32	33	-	124
JSPA11805	118	5	2012	50	2	2	80	84	-	32	48	-	124
JSPA11806	118	6	2012	50	2	6	95	84	63	32	-	-	124
JSPA12501	125	1	1610	42	1 5/8	1	20	-	-	25	5	83	131
JSPA12502	125	2	1610	42	1 5/8	2	35	93	0	25	10	-	131
JSPA12503	125	3	2012	50	2	2	50	93	-	32	18	-	131
JSPA12504	125	4	2012	50	2	2	65	93	-	32	33	-	131
JSPA12505	125	5	2012	50	2	3	80	93	24	32	24	-	131
JSPA12506	125	6	2012	50	2	3	95	90	31.5	32	31.5	-	131
JSPA13201	132	1	1610	42	1 5/8	1	20	-	-	25	5	85	138
JSPA13202	132	2	2012	50	2	2	35	95	0	32	3	-	138
JSPA13203	132	3	2012	50	2	2	50	100	-	32	18	-	138
JSPA13204	132	4	2517	60	2 1/2	2	65	102	-	45	20	-	138
JSPA13205	132	5	2517	60	2 1/2	3	80	102	17.5	45	17.5	-	138
JSPA13206	132	6	2517	60	2 1/2	3	95	102	25	45	25	-	138
JSPA14001	140	1	1610	42	1 5/8	1	20	-	-	25	5	85	146
JSPA14002	140	2	2012	50	2	6	35	108	3	32	-	-	146
JSPA14003	140	3	2517	60	2 1/2	2	50	108	0	45	5	-	146
JSPA14004	140	4	2517	60	2 1/2	2	65	108	-	45	20	-	146
JSPA14005	140	5	2517	60	2 1/2	3	80	108	17.5	45	17.5	-	146
JSPA14006	140	6	2517	60	2 1/2	3	95	105	25	45	25	-	146


SPA 폴리(벨트 SPA, A형 공통 사용)



코드번호 Code	Pitch Dia(P)	No. of Grooves	Bush No.	Max Bore		Pulley Type	F	J	K	L	M	N	Outside Dia(O)
				Metric	Inch								
JSPA15001	150	1	1610	42	1 5/8	1	20	-	-	25	5	88	156
JSPA15002	150	2	2012	50	2	6	35	118	3	32	-	-	156
JSPA15003	150	3	2517	60	2 1/2	2	50	118	0	45	5	-	156
JSPA15004	150	4	2517	60	2 1/2	2	65	118	-	45	20	-	156
JSPA15005	150	5	2517	60	2 1/2	3	80	118	17.5	45	17.5	-	156
JSPA15006	150	6	2517	60	2 1/2	3	95	115	25	45	25	-	156
JSPA16001	160	1	1610	42	1 5/8	1	20	-	-	25	5	88	166
JSPA16002	160	2	2012	50	2	7	35	125	3	32	0	108	166
JSPA16003	160	3	2517	60	2 1/2	2	50	128	0	45	5	-	166
JSPA16004	160	4	2517	60	2 1/2	2	65	128	-	45	20	-	166
JSPA16005	160	5	2517	60	2 1/2	3	80	128	17.5	45	17.5	-	166
JSPA16006	160	6	2517	60	2 1/2	3	95	125	25	45	25	-	166
JSPA17001	* 170	1	1610	42	1 5/8	3	20	135	-	25	5	92	176
JSPA17002	* 170	2	2012	50	2	2	35	135	-	32	3	-	176
JSPA17003	* 170	3	2517	60	2 1/2	2	50	135	-	45	5	-	176
JSPA17004	* 170	4	2517	60	2 1/2	2	65	135	-	45	20	-	176
JSPA17005	* 170	5	3020	75	3	2	80	135	-	51	29	-	176
JSPA18001	180	1	1610	42	1 5/8	1	20	-	-	25	5	88	186
JSPA18002	180	2	2012	50	2	7	35	148	3	32	0	108	186
JSPA18003	180	3	2517	60	2 1/2	2	50	148	0	45	5	-	186
JSPA18004	180	4	2517	60	2 1/2	2	65	148	-	45	20	-	186
JSPA18005	180	5	3020	75	3	3	80	148	14.5	51	14.5	-	186
JSPA18006	180	6	3020	75	3	3	95	145	22	51	22	-	186
JSPA19001	* 190	1	1610	42	1 5/8	3	20	155	-	25	5	92	196
JSPA19002	* 190	2	2012	50	2	3	35	155	-	32	3	110	196
JSPA19003	* 190	3	2517	60	2 1/2	2	50	155	-	45	5	-	196
JSPA19004	* 190	4	2517	60	2 1/2	2	65	155	-	45	20	-	196
JSPA19005	* 190	5	3020	75	3	2	80	155	-	51	29	-	196
JSPA20001	200	1	2012	50	2	1	20	-	-	32	12	108	206
JSPA20002	200	2	2517	60	2 1/2	2	35	162	0	45	10	123	206
JSPA20003	200	3	2517	60	2 1/2	7	50	162	0	45	5	123	206
JSPA20004	200	4	3020	75	3	2	65	168	-	51	14	-	206
JSPA20005	200	5	3020	75	3	3	80	168	14.5	51	14.5	-	206
JSPA20006	200	6	3020	75	3	3	95	165	22	51	22	-	206
JSPA21201	* 212	1	2012	50	2	3	20	177	-	32	12	112	218
JSPA21202	* 212	2	2517	60	2 1/2	3	35	177	-	45	10	124	218
JSPA21203	* 212	3	2517	60	2 1/2	3	50	177	-	45	5	124	218
JSPA21204	* 212	4	3020	75	3	2	65	177	-	51	14	-	218
JSPA21205	* 212	5	3020	75	3	2	80	177	-	51	29	-	218
JSPA22401	224	1	2012	50	2	8	20	189	0	32	12	112	232
JSPA22402	224	2	2517	60	2 1/2	8	35	189	0	45	10	124	232
JSPA22403	224	3	2517	60	2 1/2	7	50	189	2.5	45	2.5	124	232
JSPA22404	224	4	3020	75	3	2	65	189	-	51	14	-	232
JSPA22405	224	5	3020	75	3	2	80	189	-	51	29	-	232
JSPA22406	224	6	3020	75	3	3	95	189	22	51	22	-	232
JSPA23601	* 236	1	2012	50	2	8	20	201	-	32	12	112	242
JSPA23602	* 236	2	2517	60	2 1/2	3	35	201	-	45	10	124	242
JSPA23603	* 236	3	2517	60	2 1/2	3	50	201	-	45	12.5	124	242
JSPA23604	* 236	4	3020	75	3	2	65	201	-	52.5	12.5	-	242
JSPA23605	* 236	5	3020	75	3	2	80	201	-	52.5	27.5	-	242
JSPA25001	250	1	2012	50	2	8	20	215	0	32	12	112	256
JSPA25002	250	2	2517	60	2 1/2	8	35	215	0	45	10	124	256
JSPA25003	250	3	2517	60	2 1/2	7	50	215	2.5	45	2.5	124	256
JSPA25004	250	4	3020	75	3	7	65	215	7	51	7	159	256
JSPA25005	250	5	3020	75	3	7	80	215	14.5	51	14.5	159	256
JSPA25006	250	6	3020	75	3	7	95	215	22	51	22	159	256

주의) *표시 폴리스이즈는 신규격이므로 통상 재크를 갖지 않으며 필요시 문의 요망.


SPA 폴리(벨트 SPA, A형 공통 사용)



코드번호 Code	Pitch Dia(P)	No. of Grooves	Bush No.	Max Bore		Pulley Type	F	J	K	L	M	N	Outside Dia(O)
				Metric	Inch								
JSPA26501	* 265	1	2012	50	2	8	20	230	—	32	12	112	271
JSPA26502	* 265	2	2517	60	2 1/2	8	35	230	—	45	10	124	271
JSPA26503	* 265	3	2517	60	2 1/2	3	50	230	2.5	45	2.5	129	271
JSPA26504	* 265	4	3020	75	3	3	65	230	7	51	7	159	271
JSPA26505	* 265	5	3020	75	3	3	80	230	14.5	51	14.5	159	271
JSPA28001	280	1	2012	50	2	8	20	245	0	32	12	112	286
JSPA28002	280	2	2517	60	2 1/2	8	35	245	0	45	10	124	286
JSPA28003	280	3	2517	60	2 1/2	7	50	245	2.5	45	2.5	124	286
JSPA28004	280	4	3020	75	3	7	65	245	7	51	7	159	286
JSPA28005	280	5	3525	100	4	7	80	245	7.5	65	7.5	178	286
JSPA28006	280	6	3525	100	4	7	95	245	15	65	15	178	286
JSPA30001	* 300	1	2012	50	2	8	20	265	—	32	12	112	306
JSPA30002	* 300	2	2517	60	2 1/2	8	35	265	—	45	10	124	306
JSPA30003	* 300	3	3020	75	3	3	50	265	0.5	51	0.5	159	306
JSPA30004	* 300	4	3020	75	3	3	65	265	7	51	7	159	306
JSPA30005	* 300	5	3535	90	3 2/3	3	80	265	4.5	89	4.5	178	306
JSPA31501	315	1	2012	50	2	8	20	284	0	32	12	112	321
JSPA31502	315	2	2517	60	2 1/2	8	35	280	0	45	10	124	321
JSPA31503	315	3	3020	75	3	8	50	280	0	51	1	159	321
JSPA31504	315	4	3020	75	3	7	65	280	7	51	7	159	321
JSPA31505	315	5	3525	100	4	7	80	280	7.5	65	7.5	178	321
JSPA31506	315	6	3525	100	4	7	95	280	15	65	15	178	321
JSPA35501	* 355	1	2012	50	2	8	20	320	—	32	12	112	361
JSPA35502	* 355	2	2517	60	2 1/2	8	35	320	—	45	10	124	361
JSPA35503	* 355	3	3020	75	3	8	50	320	0.5	51	0.5	159	361
JSPA35504	* 355	4	3020	75	3	7	65	320	7	51	7	159	361
JSPA35505	* 355	5	3535	90	3 2/3	8	80	320	4.5	89	4.5	178	361
JSPA40001	400	1	2012	50	2	4	20	365	0	32	12	112	406
JSPA40002	400	2	2517	60	2 1/2	4	35	365	0	45	10	124	406
JSPA40003	400	3	3020	75	3	4	50	365	0.5	51	0.5	159	406
JSPA40004	400	4	3020	75	3	5	65	365	7	51	7	159	406
JSPA40005	400	5	3525	100	4	5	80	365	7.5	65	7.5	178	406
JSPA40006	400	6	3525	100	4	5	95	365	15	65	15	178	406
JSPA45001	* 450	1	2012	50	2	8	20	418	—	32	12	112	456
JSPA45002	* 450	2	2517	60	2 1/2	8	35	418	5	45	5	124	456
JSPA45003	* 450	3	3020	75	3	8	50	418	0.5	51	0.5	159	456
JSPA45004	* 450	4	3020	75	3	7	65	418	7	51	7	159	456
JSPA45005	* 450	5	3535	90	3 2/3	8	80	418	4.5	89	4.5	178	456
JSPA50002	500	2	2517	60	2 1/2	4	35	465	0	45	10	124	506
JSPA50003	500	3	3020	75	3	4	50	465	0.5	51	0.5	159	506
JSPA50004	500	4	3020	75	3	5	65	465	7	51	7	159	506
JSPA50005	500	5	3525	100	4	5	80	465	7.5	65	7.5	178	506
JSPA50006	500	6	3525	100	4	5	95	465	15	65	15	178	506
JSPA56001	* 560	1	2517	60	2 1/2	8	20	525	—	45	25	124	566
JSPA56002	* 560	2	3020	75	3	8	35	525	—	51	16	159	566
JSPA56003	* 560	3	3020	75	3	8	50	525	0.5	51	0.5	159	566
JSPA56004	* 560	4	3535	90	3 2/3	8	65	525	12	89	12	178	566
JSPA56005	* 560	5	3535	90	3 2/3	8	80	525	4.5	89	4.5	178	566
JSPA63002	630	2	3020	75	3	4	35	595	0	51	16	159	636
JSPA63003	630	3	3020	75	3	4	50	595	0.5	51	0.5	159	636
JSPA63004	630	4	3525	100	4	5	65	595	0	65	0	178	636
JSPA63005	630	5	3525	100	4	5	80	595	7.5	65	7.5	178	636
JSPA63006	630	6	4030	115	4 1/2	5	95	595	9.5	76	9.5	216	636
JSPA80003	800	3	3525	100	4	4	50	765	7.5	65	7.5	178	806
JSPA80004	800	4	3525	100	4	5	65	765	0	65	0	178	806
JSPA80005	800	5	4030	115	4 1/2	5	80	765	2	76	2	216	806
JSPA80006	800	6	4030	115	4 1/2	5	95	765	9.5	76	9.5	216	806
JSPA90003	* 900	3	3535	90	3 2/3	8	50	866	19.5	89	19.5	178	906
JSPA90004	* 900	4	3535	90	3 2/3	8	65	866	12	89	12	178	906
JSPA90005	* 900	5	4040	100	4	8	80	866	11	102	11	216	906

주의) *표시 폴리사이즈는 신규격이므로 통상 재고를 갖지 않으며 필요시 문의 요망.


SPB 폴리(벨트 SPB, B, 5V형 공통 사용)



코드번호 Code	Pitch Dia(P)	No. of Grooves	Bush No.	Max Bore		Pulley Type	F	J	K	L	M	N	Outside Dia(O)
				Metric	Inch								
JSPB10001	* 100	1	1610	42	1 5/8	1	25	-	-	25	-	-	107
JSPB10002	* 100	2	1610	42	1 5/8	6	44	62	19	25	-	-	107
JSPB10003	* 100	3	1610	42	1 5/8	6	63	62	38	25	-	-	107
JSPB11201	* 112	1	1610	42	1 5/8	6	25	-	-	25	-	-	119
JSPB11202	112	2	1610	42	1 5/8	6NR	44	53.5	19	25	-	-	119
JSPB11203	112	3	1610	42	1 5/8	6NR	63	53.5	38	25	-	-	119
JSPB11801	* 118	1	1610	42	1 5/8	1	25	-	-	25	-	-	125
JSPB11802	118	2	1610	42	1 5/8	6NR	44	53.5	19	25	-	-	125
JSPB11803	118	3	1610	42	1 5/8	6NR	63	53.5	38	25	-	-	125
JSPB12501	* 125	1	1610	42	1 5/8	1	25	-	-	25	-	-	132
JSPB12502	125	2	2012	50	2	2	44	90	-	32	12	-	132
JSPB12503	125	3	2012	50	2	2	63	90	-	32	31	-	132
JSPB12504	125	4	2012	50	2	3	82	90	25	32	25	-	132
JSPB12505	125	5	2012	50	2	6	101	87	69	32	-	-	132
JSPB13201	* 132	1	1610	42	1 5/8	1	25	-	-	25	-	-	139
JSPB13202	132	2	2012	50	2	2	44	89	-	32	12	-	139
JSPB13203	132	3	2012	50	2	2	63	89	-	32	31	-	139
JSPB13204	132	4	2012	50	2	3	82	89	25	32	25	-	139
JSPB13205	132	5	2517	60	2 1/2	6	101	94	56	45	-	-	139
JSPB14001	* 140	1	1610	42	1 5/8	1	25	-	-	25	-	92	147
JSPB14002	140	2	2012	50	2	2	44	97	-	32	12	-	147
JSPB14003	140	3	2012	50	2	2	63	97	-	32	31	-	147
JSPB14004	140	4	2517	60	2 1/2	3	82	106	18.5	45	18.5	-	147
JSPB14005	140	5	2517	60	2 1/2	3	101	106	28	45	28	-	147
JSPB14006	140	6	2517	60	2 1/2	3	120	106	37.5	45	37.5	-	147
JSPB15001	* 150	1	1610	42	1 5/8	1	25	107	-	25	-	92	157
JSPB15002	150	2	2012	50	2	2	44	107	-	32	12	-	157
JSPB15003	150	3	2517	60	2 1/2	2	63	107	-	45	18	-	157
JSPB15004	150	4	2517	60	2 1/2	3	82	107	18.5	45	18.5	-	157
JSPB15005	150	5	2517	60	2 1/2	3	101	107	28	45	28	-	157
JSPB15006	150	6	2517	60	2 1/2	3	120	107	37.5	45	37.5	-	157
JSPB16001	* 160	1	1610	42	1 5/8	1	25	-	-	25	-	92	167
JSPB16002	160	2	2012	50	2	2	44	117	-	32	12	-	167
JSPB16003	160	3	2517	60	2 1/2	2	63	117	-	45	18	-	167
JSPB16004	160	4	2517	60	2 1/2	3	82	117	18.5	45	18.5	-	167
JSPB16005	160	5	2517	60	2 1/2	3	101	117	28	45	28	-	167
JSPB16006	160	6	3020	75	3	3	120	120	34.5	51	34.5	-	167
JSPB17001	* 170	1	1610	42	1 5/8	1	25	-	-	25	-	92	177
JSPB17002	170	2	2012	50	2	2	44	127	-	32	12	-	177
JSPB17003	170	3	2517	60	2 1/2	2	63	127	-	45	18	-	177
JSPB17004	170	4	2517	60	2 1/2	3	82	127	18.5	45	18.5	-	177
JSPB17005	170	5	3020	75	3	3	101	127	25	51	25	-	177
JSPB17006	170	6	3020	75	3	3	120	127	34.5	51	34.5	-	177
JSPB17008	* 170	8	3030	75	3	3	158	129	41	76	41	-	177
JSPB18001	* 180	1	1610	42	1 5/8	1	25	-	-	44	0	0	187
JSPB18002	180	2	2517	60	2 1/2	1	44	-	-	44	0	-	187
JSPB18003	180	3	2517	60	2 1/2	2	63	137	-	45	18	-	187
JSPB18004	180	4	2517	60	2 1/2	3	82	137	18.5	45	18.5	-	187
JSPB18005	180	5	3020	75	3	3	101	137	25	51	25	-	187
JSPB18006	180	6	3020	75	3	3	120	137	34.5	51	34.5	-	187
JSPB18008	180	8	3020	75	3	3	158	137	53.5	51	53.5	-	187
JSPB19001	* 190	1	2012	50	2	1	25	-	-	32	7	112	197
JSPB19002	190	2	2517	60	2 1/2	1	44	-	-	44	0	0	197
JSPB19003	190	3	2517	60	2 1/2	2	63	147	-	45	18	-	197
JSPB19004	190	4	2517	60	2 1/2	3	82	147	18.5	45	18.5	-	197
JSPB19005	190	5	3020	75	3	3	101	147	25	51	25	-	197
JSPB19006	190	6	3020	75	3	3	120	147	34.5	51	34.5	-	197
JSPB19008	190	8	3020	75	3	3	158	147	53.5	51	53.5	-	197
JSPB20001	* 200	1	2012	50	2	1	25	-	-	32	7	95	207
JSPB20002	200	2	2517	60	2 1/2	1	44	-	-	44	0	0	207
JSPB20003	200	3	2517	60	2 1/2	7	63	157	0	45	18	117	207
JSPB20004	200	4	3020	75	3	2	82	157	0	51	31	-	207
JSPB20005	200	5	3020	75	3	3	101	157	25	51	25	-	207
JSPB20006	200	6	3020	75	3	3	120	157	34.5	51	34.5	-	207
JSPB20008	200	8	3525	100	4	3	158	157	46.5	65	46.5	-	207

주의) *표시 폴리사이즈는 신규격이므로 통상 재고를 갖지 않으며 필요시 문의 요망.


SPB 폴리(벨트 SPB, B, 5V형 공통 사용)



코드번호 Code	Pitch Dia(P)	No. of Grooves	Bush No.	Max Bore		Pulley Type	F	J	K	L	M	N	Outside Dia(O)
				Metric	Inch								
JSPB21201	* 212	1	2012	50	2	1	25	-	-	32	7	95	219
JSPB21202	212	2	2517	60	2 1/2	1	44	-	-	44	0	0	219
JSPB21203	212	3	2517	60	2 1/2	7	63	169	0	45	18	117	219
JSPB21204	212	4	3020	75	3	2	82	169	0	51	31	-	219
JSPB21205	212	5	3020	75	3	3	101	169	25	51	25	-	219
JSPB21206	212	6	3525	100	4	3	120	169	27.5	65	27.5	-	219
JSPB21208	212	8	3525	100	4	3	158	169	46.5	65	46.5	-	219
JSPB22401	* 224	1	2012	50	2	1	25	-	-	32	7	95	231
JSPB22402	224	2	2517	60	2 1/2	8	44	181	0	45	1	117	231
JSPB22403	224	3	2517	60	2 1/2	7	63	181	0	45	18	117	231
JSPB22404	224	4	3020	75	3	2	82	181	0	51	31	-	231
JSPB22405	224	5	3020	75	3	3	101	181	25	51	25	-	231
JSPB22406	224	6	3525	100	4	3	120	181	27.5	65	27.5	-	231
JSPB22408	224	8	3525	100	4	3	158	181	46.5	65	46.5	-	231
JSPB23601	* 236	1	2012	50	2	1	25	198	-	32	7	95	243
JSPB23602	236	2	2517	60	2 1/2	8	44	193	0	45	1	117	243
JSPB23603	236	3	2517	60	2 1/2	7	63	193	0	45	18	117	243
JSPB23604	236	4	3020	75	3	2	82	193	0	51	31	-	243
JSPB23605	236	5	3525	100	4	3	101	193	18	65	18	-	243
JSPB23606	236	6	3525	100	4	3	120	193	27.5	65	27.5	-	243
JSPB23608	236	8	3525	100	4	3	158	193	46.5	65	46.5	-	243
JSPB25001	* 250	1	2012	50	2	1	25	212	-	32	7	-	257
JSPB25002	250	2	2517	60	2 1/2	8	44	207	0	45	1	117	257
JSPB25003	250	3	3020	75	3	7	63	207	0	51	12	144	257
JSPB25004	250	4	3020	75	3	7	82	207	0	51	31	144	257
JSPB25005	250	5	3525	100	4	3	101	207	18	65	18	-	257
JSPB25006	250	6	3525	100	4	3	120	207	27.5	65	27.5	-	257
JSPB25008	250	8	3525	100	4	3	158	207	46.5	65	46.5	-	257
JSPB25010	* 250	10	3535	90	3 2/3	3	196	204	46	89	61	-	257
JSPB28001	* 280	1	2012	50	2	8	25	242	-	32	7	95	287
JSPB28002	280	2	2517	60	2 1/2	8	44	237	0	45	1	117	287
JSPB28003	280	3	3020	75	3	7	63	237	6	51	6	144	287
JSPB28004	280	4	3020	75	3	7	82	237	15.5	51	15.5	144	287
JSPB28005	280	5	3525	100	4	7	101	237	18	65	18	187	287
JSPB28006	280	6	3525	100	4	7	120	237	27.5	65	27.5	187	287
JSPB28008	280	8	3525	100	4	7	158	237	46.5	65	46.5	187	287
JSPB28010	* 280	10	3535	90	3 2/3	7	196	239	46	89	61	-	287
JSPB30001	* 300	1	2012	50	2	8	25	262	-	32	7	95	307
JSPB30002	* 300	2	2517	60	2 1/2	8	44	262	0.5	45	0.5	124	307
JSPB30003	* 300	3	3020	75	3	5	63	262	6	51	6	159	307
JSPB30004	* 300	4	3020	75	3	7	82	262	15.5	51	15.5	159	307
JSPB30005	* 300	5	3535	90	3 2/3	7	101	259	6	89	6	178	307
JSPB30006	* 300	6	3535	90	3 2/3	7	120	259	15.5	89	15.5	178	307
JSPB30008	* 300	8	3535	90	3 2/3	7	158	259	34.5	89	34.5	180	307
JSPB31501	* 315	1	2012	50	2	8	25	277	-	32	7	95	322
JSPB31502	315	2	2517	60	2 1/2	8	44	272	0	45	1	117	322
JSPB31503	315	3	3020	75	3	7	63	272	6	51	6	144	322
JSPB31504	315	4	3525	100	4	7	82	272	8.5	65	8.5	187	322
JSPB31505	315	5	3525	100	4	7	101	272	18	65	18	187	322
JSPB31506	315	6	3525	100	4	7	120	272	27.5	65	27.5	187	322
JSPB31508	315	8	3525	100	4	7	158	272	46.5	65	46.5	187	322
JSPB31510	* 315	10	3535	90	3 2/3	3	196	272	53.5	89	53.5	180	322
JSPB33502	* 335	2	2517	60	2 1/2	8	44	297	-	45	1	120	342
JSPB33503	* 335	3	3020	75	3	7	63	297	6	51	6	145	342
JSPB33504	* 335	4	3535	90	3 2/3	8	82	297	3.5	89	3.5	178	342
JSPB33505	* 335	5	3535	90	3 2/3	7	101	297	6	89	6	178	342
JSPB33506	* 335	6	3535	90	3 2/3	7	120	297	15.5	89	15.5	179	342
JSPB33508	* 335	8	3535	90	3 2/3	7	158	294	34.5	89	34.5	180	342
JSPB33510	* 335	10	4040	100	4	7	196	294	47	102	47	216	342
JSPB35502	355	2	3020	75	3	8	44	312	3.5	51	3.5	144	362
JSPB35503	355	3	3020	75	3	7	63	312	6	51	6	144	362
JSPB35504	355	4	3525	100	4	7	82	312	8.5	65	8.5	187	362
JSPB35505	355	5	3525	100	4	7	101	312	18	65	18	187	362
JSPB35506	355	6	3525	100	4	7	120	312	27.5	65	27.5	187	362
JSPB35508	355	8	3525	100	4	7	158	312	46.5	65	46.5	187	362
JSPB35510	* 355	10	4040	100	4	7	196	317	47	102	47	216	362

주의) *표시 폴리사이즈는 신규격이므로 통상 재고를 갖지 않으며 필요시 문의 요망.


SPB 폴리(벨트 SPB, B, 5V형 공통 사용)



코드번호 Code	Pitch Dia(P)	No. of Grooves	Bush No.	Max Bore		Pulley Type	F	J	K	L	M	N	Outside Dia(O)
				Metric	Inch								
JSPB40002	400	2	3020	75	3	8	44	357	3.5	51	3.5	144	407
JSPB40003	400	3	3525	100	4	8	63	357	1	65	1	187	407
JSPB40004	400	4	3525	100	4	7	82	357	8.5	65	8.5	187	407
JSPB40005	400	5	3525	100	4	7	101	357	18	65	18	187	407
JSPB40006	400	6	3525	100	4	7	120	357	27.5	65	27.5	187	407
JSPB40008	400	8	3525	100	4	7	158	357	46.5	65	46.5	187	407
JSPB40010	* 400	10	4040	100	4	7	196	362	47	102	47	216	407
JSPB45002	450	2	3020	75	3	4	44	407	3.5	51	3.5	144	457
JSPB45003	450	3	3525	100	4	4	63	407	0	65	2	187	457
JSPB45004	450	4	3525	100	4	5	82	407	0	65	17	187	457
JSPB45005	450	5	3525	100	4	5	101	407	0	65	36	187	457
JSPB45006	450	6	3525	100	4	5	120	407	0	65	55	187	457
JSPB45008	450	8	3525	100	4	5	158	407	46.5	65	46.5	187	457
JSPB45010	* 450	10	4545	110	4 1/3	7	196	410	40.5	115	40.5	242	457
JSPB50002	500	2	3020	75	3	4	44	457	3.5	51	3.5	144	507
JSPB50003	500	3	3525	100	4	4	63	457	0	65	2	187	507
JSPB50004	500	4	3525	100	4	5	82	457	0	65	17	187	507
JSPB50005	500	5	3525	100	4	5	101	457	0	65	36	187	507
JSPB50006	500	6	3525	100	4	5	120	457	0	65	55	187	507
JSPB50008	500	8	3525	100	4	5	158	457	46.5	65	46.5	187	507
JSPB50010	* 500	10	4545	110	4 1/3	7	196	460	40.5	115	40.5	242	507
JSPB56002	560	2	3020	75	3	4	44	517	3.5	51	3.5	144	567
JSPB56003	560	3	3525	100	4	4	63	517	0	65	2	187	567
JSPB56004	560	4	3525	100	4	5	82	517	0	65	17	187	567
JSPB56005	560	5	3525	100	4	5	101	517	0	65	36	187	567
JSPB56006	560	6	3525	100	4	5	120	517	0	65	55	187	567
JSPB56008	560	8	4030	115	4 1/2	5	158	517	41	76	41	200	567
JSPB63002	630	2	3020	75	3	4	44	587	3.5	51	3.5	144	637
JSPB63003	630	3	3525	100	4	4	63	587	0	65	2	187	637
JSPB63004	630	4	3525	100	4	5	82	587	0	65	17	187	637
JSPB63005	630	5	3525	100	4	5	101	587	0	65	36	187	637
JSPB63006	630	6	3525	100	4	5	120	587	0	65	55	187	637
JSPB63008	630	8	4030	115	4 1/2	5	158	587	41	76	41	200	637
JSPB63010	* 630	10	4545	110	4 1/3	7	196	590	40.5	115	40.5	242	637
JSPB71002	* 710	2	3030	75	3	8	44	670	16	76	16	145	717
JSPB71003	* 710	3	3535	90	3 2/3	8	63	670	13	89	13	180	717
JSPB71004	* 710	4	3535	90	3 2/3	8	82	670	3.5	89	3.5	180	717
JSPB71005	* 710	5	4040	100	4	8	101	670	0.5	102	0.5	215	717
JSPB71006	* 710	6	4545	110	4 1/3	7	120	670	2.5	115	2.5	242	717
JSPB71008	* 710	8	4545	110	4 1/3	7	158	670	21.5	115	21.5	242	717
JSPB71010	* 710	10	4545	110	4 1/3	7	196	670	40.5	115	40.5	242	717
JSPB80002	* 800	2	3535	90	3 2/3	8	44	760	22.5	89	22.5	180	807
JSPB80003	800	3	3525	100	4	4	63	754	0	65	2	187	807
JSPB80004	800	4	4030	115	4 1/2	5	82	754	0	76	6	214	807
JSPB80005	800	5	4030	115	4 1/2	5	101	754	19	76	6	214	807
JSPB80006	800	6	4535	125	5	5	120	754	0	89	31	217	807
JSPB80008	800	8	4535	125	5	5	158	754	38	89	31	217	807
JSPB80010	* 800	10	4545	110	4 1/3	7	196	760	40.5	115	40.5	242	807
JSPB90003	. 900	3	3535	90	3 2/3	8	63	858	13	89	13	180	907
JSPB90004	. 900	4	4040	100	4	8	82	858	10	102	10	216	907
JSPB90005	. 900	5	4545	110	4 1/3	8	101	858	7	115	7	242	907
JSPB90006	. 900	6	4545	110	4 1/3	7	120	858	2.5	115	2.5	242	907
JSPB90008	. 900	8	4545	110	4 1/3	7	158	858	21.5	115	21.5	242	907
JSPB90010	. 900	10	5050	125	5	7	196	858	34.5	127	34.5	267	907
JSPB100003	1000	3	4030	115	4 1/2	4	63	954	6.5	76	6.5	216	1007
JSPB100004	1000	4	4030	115	4 1/2	5	82	954	3	76	3	216	1007
JSPB100005	1000	5	4535	125	5	5	101	954	6	89	6	242	1007
JSPB100006	1000	6	4535	125	5	5	120	954	15.5	89	15.5	242	1007
JSPB100008	1000	8	4535	125	5	5	158	954	34.5	89	34.5	267	1007
JSPB100010	* 1000	10	5050	125	5	7	196	958	34.50	127	34.5	263	1007
JSPB125003	* 1250	3	4040	100	4	8	63	1208	19.5	102	19.5	216	1257
JSPB125004	* 1250	4	4545	110	4 1/3	8	82	1208	16.5	115	16.5	242	1257
JSPB125005	* 1250	5	4545	110	4 1/3	8	101	1208	7	115	7	242	1257
JSPB125006	* 1250	6	5050	125	5	8	120	1208	3.5	127	3.5	267	1257
JSPB125008	* 1250	8	5050	125	5	7	158	1208	15.5	127	15.5	267	1257

주의) *표시 폴리아이즈는 신규규격이므로 통상 재고를 갖지 않으며 필요시 문의 요망.

SPC 폴리(벨트 SPC, C형 공통 사용)



코드번호 Code	Pitch Dia(P)	No. of Grooves	Bush No.	Max Bore		Pulley Type	F	J	K	L	M	N	Outside Dia(O)
				Metric	Inch								
JSPC20003	200	3	2517	60	2 1/2	3	85	144	20	45	20	-	210
JSPC20004	200	4	3020	75	3	3	111	144	30	51	20	-	210
JSPC20005	200	5	3525	100	4	3	136	144	35.5	65	35.5	-	210
JSPC20006	200	6	3525	100	4	3	162	144	48.5	65	48.5	-	210
JSPC20008	200	8	3525	100	4	3	213	144	74	65	74	-	210
JSPC21203	212	3	3020	75	3	3	85	156	17	51	17	-	222
JSPC21204	212	4	3020	75	3	3	111	156	30	51	30	-	222
JSPC21205	212	5	3525	100	4	3	136	156	35.5	65	35.5	-	222
JSPC21206	212	6	3525	100	4	3	162	156	48.5	65	48.5	-	222
JSPC21208	212	8	3525	100	4	3	213	156	74	65	74	-	222
JSPC22402	* 224	2	3020	75	3	3	59.5	168	4.3	51	4.3	-	234
JSPC22403	224	3	3020	75	3	3	85	168	17	51	17	-	234
JSPC22404	224	4	3525	100	4	3	111	168	23	65	23	-	234
JSPC22405	224	5	3525	100	4	3	136	168	35.5	65	35.5	-	234
JSPC22406	224	6	3525	100	4	3	162	168	48.5	65	48.5	-	234
JSPC22408	224	8	3525	100	4	3	213	168	74	65	74	-	234
JSPC23603	236	3	3020	75	3	3	85	180	17	51	17	-	246
JSPC23604	236	4	3525	100	4	3	111	180	23	65	23	-	246
JSPC23605	236	5	3525	100	4	3	136	180	35.5	65	35.5	-	246
JSPC23606	236	6	3525	100	4	3	162	180	48.5	65	48.5	-	246
JSPC23608	236	8	3525	100	4	3	213	180	74	65	74	-	246
JSPC25002	* 250	2	3020	75	3	3	59.5	170	4.1	51	4.5	-	260
JSPC25003	250	3	3020	75	3	3	85	194	17	51	17	-	260
JSPC25004	250	4	3525	100	4	3	111	194	23	65	23	-	260
JSPC25005	250	5	3525	100	4	3	136	194	35.5	65	35.5	-	260
JSPC25006	250	6	3525	100	4	3	162	194	48.5	65	48.5	-	260
JSPC25008	250	8	3525	100	4	3	213	194	74	65	74	-	260
JSPC26503	265	3	3525	100	4	3	85	209	10	65	10	-	275
JSPC26504	265	4	3525	100	4	3	111	209	23	65	23	-	275
JSPC26505	265	5	3525	100	4	3	136	209	35.5	65	35.5	-	275
JSPC26506	265	6	3525	100	4	3	162	209	48.5	65	48.5	-	275
JSPC26508	265	8	3525	100	4	3	213	209	74	65	74	-	275
JSPC28003	280	3	3525	100	4	3	85	224	10	65	10	-	290
JSPC28004	280	4	3525	100	4	3	111	224	23	65	23	-	290
JSPC28005	280	5	3525	100	4	3	136	224	35.5	65	35.5	-	290
JSPC28006	280	6	3525	100	4	3	162	224	48.5	65	48.5	-	290
JSPC28008	280	8	3525	100	4	3	213	224	74	65	74	-	290
JSPC30003	300	3	3525	100	4	7	85	244	10	65	10	187	310
JSPC30004	300	4	3525	100	4	7	111	244	23	65	23	187	310
JSPC30005	300	5	3525	100	4	7	136	244	35.5	65	35.5	187	310
JSPC30006	300	6	3525	100	4	7	162	244	48.5	65	48.5	187	310
JSPC30008	300	8	3525	100	4	7	213	244	74	65	74	187	310
JSPC31503	315	3	3525	100	4	7	85	259	10	65	10	187	325
JSPC31504	315	4	3525	100	4	7	111	259	23	65	23	187	325
JSPC31505	315	5	3525	100	4	7	136	259	35.5	65	35.5	187	325
JSPC31506	315	6	3525	100	4	7	162	259	48.5	65	48.5	187	325
JSPC31508	315	8	3525	100	4	7	213	259	74	65	74	187	325
JSPC33503	335	3	3525	100	4	7	85	279	10	65	10	187	345
JSPC33504	335	4	3525	100	4	7	111	279	23	65	23	187	345
JSPC33505	335	5	3525	100	4	7	136	279	35.5	65	35.5	187	345
JSPC33506	335	6	3525	100	4	7	162	279	48.5	65	48.5	187	345
JSPC33508	335	8	3525	100	4	7	213	279	74	65	74	187	345
JSPC35503	355	3	3525	100	4	7	85	299	10	65	10	187	365
JSPC35504	355	4	3525	100	4	7	111	299	23	65	23	187	365
JSPC35505	355	5	3525	100	4	7	136	299	35.5	65	35.5	187	365
JSPC35506	355	6	3525	100	4	7	162	299	48.5	65	48.5	187	365
JSPC35508	355	8	3525	100	4	7	213	299	74	65	74	187	365
JSPC37503	375	3	3525	100	4	7	85	319	10	65	10	187	385
JSPC37504	375	4	3525	100	4	7	111	319	23	65	23	187	385
JSPC37505	375	5	3525	100	4	7	136	319	35.5	65	35.5	187	385
JSPC37506	375	6	3525	100	4	7	162	319	48.5	65	48.5	187	385
JSPC37508	375	8	4030	115	4 1/2	7	213	319	68.5	76	68.5	200	385
JSPC40003	400	3	3525	100	4	7	85	344	10	65	10	187	410
JSPC40004	400	4	3525	100	4	7	111	344	23	65	23	187	410
JSPC40005	400	5	3525	100	4	7	136	344	35.5	65	35.5	187	410
JSPC40006	400	6	3525	100	4	7	162	344	48.5	65	48.5	187	410
JSPC40008	400	8	4030	115	4 1/2	7	213	344	68.5	76	68.5	200	410

